

Safety Data Sheet

OG KUSH DERIVED



According to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No. 2020/878)

Version: 1
Version date: 17/08/2021
Language: EN

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name/designation : OG KUSH DERIVED
Article No (user) : #OGK.D

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses : No data available.
Product intended for professional use only. Not intended for personal use in this form or concentration.
Uses advised against : No data available.

1.3. Details of the supplier of the safety data sheet

Supplier : Name: HEXAGONE
Street: 72 Rue Marx Dormoy
Postal code/City: 34400 Lunel
Country: France
Telephone: +33 615 138 049
Website: www.liliumxtract.com
E-mail: info@liliumxtract.com

1.4. Emergency Telephone Number

European Union:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Hazard statements (H)	
Flam. Liq. 3	H226	Flammable liquid and vapour.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.
Skin Irrit. 2	H315	Causes skin irritation.
Skin Sens. 1B	H317	May cause an allergic skin reaction.
Eye Irrit. 2	H319	Causes serious eye irritation
Aquatic Acute 1	H400	Very toxic to aquatic life.
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Signal word

Danger

Product identifiers

-

Hazard Statements

H226 - Flammable liquid and vapour.
 H304 - May be fatal if swallowed and enters airways.
 H315 - Causes skin irritation.
 H317 - May cause an allergic skin reaction.
 H319 - Causes serious eye irritation
 H400 - Very toxic to aquatic life.
 H410 - Very toxic to aquatic life with long lasting effects.

Supplemental Hazard information (EU)

-

Precautionary Statements - General

-

Precautionary Statements - Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements - Response

P331 - Do NOT induce vomiting.

Precautionary Statements - Storage

P403+P235 - Store in a well-ventilated place. Keep cool.

Precautionary Statements - Disposal

-

Contains: 7-methyl-3-methyleneocta-1,6-diene, caryophyllene, p-mentha-1,4(8)-diene, pin-2(3)-ene

2.3. Other hazards

Not available

SECTION 3: Composition/information on ingredients

3.2. Mixtures

The mixture does not contain any substances classified as Substances of Very High Concern (SVHC) by the European Chemicals Agency (ECHA) under article 57 of REACH: <http://echa.europa.eu/fr/candidate-list-table>.

Substance	C (%)	Classification	Specific concentration limits	Note
7-methyl-3-methyleneocta-1,6-diene CAS N°: 123-35-3 EC N°: 204-622-5 IDX N°:	C≤ 30.202%	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H319: Causes serious eye irritation H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.	M=1M(Chronic)=1	-
caryophyllene CAS N°: 87-44-5 EC N°: 201-746-1 IDX N°:	C≤ 27.554%	H304: May be fatal if swallowed and enters airways. H317: May cause an allergic skin reaction. H413: May cause long lasting harmful effects to aquatic life.	-	-
p-mentha-1,4(8)-diene CAS N°: 586-62-9 EC N°: 209-578-0 IDX N°:	C≤ 6.953%	H304: May be fatal if swallowed and enters airways. H317: May cause an allergic skin reaction. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.	M=1	-

(E)-3,7-dimethylocta-1,3,6-triene CAS N°: 3779-61-1 EC N°: 223-241-5 IDX N°:	C≤ 6.804%	H226: Flammable liquid and vapour. H315: Causes skin irritation. H319: Causes serious eye irritation	-	-
pin-2(3)-ene CAS N°: 80-56-8 EC N°: 201-291-9 IDX N°:	C≤ 5.928%	H226: Flammable liquid and vapour. H302: Harmful if swallowed H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.	M=1M(Chronic)=1	-
humulene CAS N°: 6753-98-6 EC N°: 229-816-7 IDX N°:	C≤ 3.2%	-	-	-
pin-2(10)-ene CAS N°: 127-91-3 EC N°: 204-872-5 IDX N°:	C≤ 2.142%	H226: Flammable liquid and vapour. H304: May be fatal if swallowed and enters airways. H315: Causes skin irritation. H317: May cause an allergic skin reaction.	-	-
dipentene CAS N°: 138-86-3 EC N°: 205-341-0 IDX N°: 601-029-00-7	C≤ 1.567%	H226: Flammable liquid and vapour. H315: Causes skin irritation. H317: May cause an allergic skin reaction. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects.	-	-
[1R-(1R*,4R*,6R*,10S*)]-4,12,12-trimethyl-9-methylene-5-oxatricyclo[8.2.0.0.4,6]dodecane CAS N°: 1139-30-6 EC N°: 214-519-7 IDX N°:	C≤ 1.433%	H411: Toxic to aquatic life with long lasting effects.	-	-
p-menth-1-en-8-ol CAS N°: 98-55-5 EC N°: 202-680-6 IDX N°:	C≤ 1.317%	H315: Causes skin irritation. H318: Causes serious eye damage. H319: Causes serious eye irritation	-	-
(E)-7,11-dimethyl-3-methylenedodeca-1,6,10-triene CAS N°: 18794-84-8 EC N°: 242-582-0 IDX N°:	C≤ 0.873%	H304: May be fatal if swallowed and enters airways.	-	-
1-methylene-4-(1-methylvinyl)cyclohexane CAS N°: 499-97-8 EC N°: 207-895-9 IDX N°:	C≤ 0.833%	-	-	-

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	:	In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Do not leave affected person unattended. Keep affected person warm, still and covered.
Following inhalation	:	Remove person to fresh air and keep comfortable for breathing. No resuscitation mouth-to-mouth or mouth-to-nose. Ambu use a mask or respirator. If breathing is irregular or stopped, administer artificial respiration.
Following skin contact	:	After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. Change contaminated, saturated clothing. In case of skin irritation, consult a physician.
Following eye contact	:	In case of eye irritation consult an ophthalmologist. Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing.
Following ingestion	:	Never give anything by mouth to an unconscious person or a person with cramps. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
Self-protection of the first aider	:	First aider: Pay attention to self-protection!.

4.2. Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	:	Treat symptomatically.
----------------------	---	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	:	Foam. Extinguishing powder. Carbon dioxide (CO ₂). Sand.
Unsuitable extinguishing media	:	Strong water jet.

5.2. Special hazards arising from the substance or mixture

- Formation of toxic gases is possible during heating or in case of fire.

5.3. Advice for firefighters

- Wear a self-contained breathing apparatus and chemical protective clothing.

5.4. Additional information

- Do not inhale vapors and fumes.
- Co-ordinate fire-fighting measures to the fire surroundings.
- Move undamaged containers from immediate hazard area if it can be done safely.
- Use caution when applying carbon dioxide in confined spaces. carbon dioxide can displace oxygen.
- Use water spray jet to protect personnel and to cool endangered containers.
- Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

- Use personal protection equipment.
- Remove persons to safety.
- Provide adequate ventilation.
- Use appropriate respiratory protection.

6.2. Environmental precautions

- Ensure that waste is collected and contained.
- In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
- Avoid release to the environment.
- Cover drains.
- Ensure all waste water is collected and treated via a waste water treatment plant.
- Do not allow to enter into soil/subsoil.
- Do not allow to enter into surface water or drains.
- Retain contaminated washing water and dispose it.
- Contain leaks or spills within cabinets with removable trays.

6.3. Methods and material for containment and cleaning up

- Treat the recovered material as prescribed in the section on waste disposal.
- Collect in closed and suitable containers for disposal.
- Clean contaminated objects and areas thoroughly observing environmental regulations.
- Collect spillage.
- Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).
- Wipe up with absorbent material (eg. cloth, fleece).

6.4. Reference to other sections

- Safe handling: see section 7.
- Disposal: see section 13.
- Personal protection equipment: see section 8.

6.5. Additional information

Not available

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

PROTECTIVE MEASURES

- Avoid contact with skin, eyes and clothes.
- If local exhaust ventilation is not possible or not enough, the entire work area must be ventilated by technical means.
- Provide adequate ventilation as well as local exhaustion at critical locations.
- Wear personal protective clothing (see section 8).
- Sewers and ducts must be protected against the entry of the product.
- Provide for retaining containers, eg. floor pan without outflow.
- Use only in well-ventilated areas.
- Vapours/aerosols should be exhausted directly at the point of origin.
- Avoid breathing gas/fumes/vapour/spray.

Advices on general occupational hygiene

- Wash hands before breaks and after work.
- Remove contaminated, saturated clothing immediately.
- Work in well ventilated zones or use proper respiratory protection.
- Wash contaminated clothing before reuse.

- Street clothing should be stored separately from work clothing.

7.2. Conditions for safe storage, including any incompatibilities

- Keep container tightly closed in a dry, cool, and well-ventilated place.
- Keep container in upright position in order to prevent leakage.

Requirements for storage rooms and vessels

- Ensure adequate ventilation of the storage area.
- Ground/bond container and receiving equipment.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Store locked up.
- Use isolated drainage to prevent discharge to soil.

Advice on joint storage

- Keep away from food, drink and animal feedingstuffs.
- Keep away from clothing and other combustible materials.
- Keep only in the original container in a cool, well-ventilated place, away from highly flammable substances.

Further information on storage conditions

- Use explosion-proof electrical/ventilating/lighting/.../equipment.
- Use only non-sparking tools.

7.3. Specific end uses

- Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Not available

8.2. Exposure controls

Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment. Provide adequate ventilation as well as local exhaust at critical locations.

Personal protection equipment



Eye/face protection

: Suitable eye protection: Wear eye protection equipment.
Recommended eye protection articles: Eye glasses

Skin protection	:	<p>Hand protection:</p> <ul style="list-style-type: none"> - Wear protective gloves. - NBR (nitrile rubber) - Do not wear gloves near machines and rotating tools. - Use gloves only once. - When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. - The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. - For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. - Breakthrough times and swelling properties of the material must be taken into consideration. <p>Body protection: Lab coat.</p>
Respiratory protection	:	<p>Respiratory protection necessary at: If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn.</p> <p>Suitable respiratory protection apparatus: Wear respiratory protection.</p> <p>Remark:</p> <ul style="list-style-type: none"> - The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used. - Observe the wear time limits as specified by the manufacturer. - Use only respiratory protection equipment with CE-symbol including four digit test number.

8.3. Additional information

Not available

SECTION 9: Physical and chemical Properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Not available
Odour:	Not available
Odour threshold:	Not available
pH:	Not available
Melting point/freezing point:	Not available
Initial boiling point and boiling range:	Not available
Flash point:	54°C
Evaporation rate:	Not available
Flammability:	Not available
Upper/lower flammability or explosive limits:	Not available
Vapour pressure:	Not available
Vapour density:	Not available
Relative density:	Not available
Solubility(ies):	Not available
Partition coefficient: n-octanol/water (Log KOC):	Not available
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
Viscosity:	Not available
Explosive properties:	Not available
Oxidising properties:	Not available

9.2. Other safety information

Not available

SECTION 10: Stability and Reactivity

10.1. Reactivity

No data available.

10.2. Chemical stability

Not available

10.3. Possibility of hazardous reactions

Not available

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

Not available

10.7. Additional information

Not available

SECTION 11: Toxicological information

11.1. Acute oral toxicity

Data for mixture

Not available

Substances

Not available

11.2. Acute skin toxicity

Data for mixture

Not available

Substances

Not available

11.3. Acute inhalation toxicity

Data for mixture

Not available

Substances

Not available

11.4. Skin corrosion

Data for mixture

The product is not classified.

Substances

Not available

11.5. Eye damage

Data for mixture

The product is classified Eye Irrit. 2 according to the referenced regulation.

Causes serious eye irritation.

Substances

Not available

11.6. Skin sensitisation

Data for mixture

The product is classified Skin Sens. 1B according to the referenced regulation.
May cause an allergic skin reaction.

Substances

Not available

11.7. STOT SE

Data for mixture

The product is not classified.

Substances

Not available

11.8. STOT RE

Data for mixture

The product is not classified.

Substances

Not available

11.9. Carcinogenicity

Data for mixture

The product is not classified.

Substances

Not available

11.10. Reproductive and Developmental Toxicity

Data for mixture

The product is not classified.

Substances

Not available

11.11. In vitro genotoxicity

Data for mixture

The product is not classified.

Substances

Not available

11.12. Respiratory sensitisation

Data for mixture

The product is not classified.

Substances

Not available

11.13. Additional information

Not available

Serious eye damage/irritation

The product is classified Eye Irrit. 2 according to the referenced regulation.
Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects.

12.2. Persistence and degradability

The product has not been tested.

12.3. Bioaccumulative potential

The product has not been tested.

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

No data available.

12.6. Other adverse effects

No data available.

12.7. Additional ecotoxicological information

Not available

SECTION 13: Disposal considerations

13.1. Product/Packaging disposal

Waste codes/waste designations according to EWC/AVV

- The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.





Waste treatment options

- Waste requiring special supervision.
- Dispose of waste according to applicable legislation.
- Delivery to an approved waste disposal company.
- Non-contaminated packages must be recycled or disposed of.
- Contaminated packing must be completely emptied and can be reused after proper cleaning.
- Packing which cannot be properly cleaned must be disposed of.
- Handle contaminated packages in the same way as the substance itself.
- Dispose of waste according to applicable legislation.

Remark

- For recycling, contact manufacturer.
- Collect the waste separately.
- Consult the appropriate authorities about waste disposal.
- Do not mix with other wastes.
- The waste is to be kept separate from other types of waste until its disposal.
- Concerning the waste it has to be checked, whether a transport authorisation is required.

SECTION 14: Transport information

	Land transport (ADR/RID)	Inland waterway transport (ADN)	Sea transport (IMDG)	Air transport (ICAO- TI/IATA-DGR)
14.1. UN number	1993	1993	1993	1993
14.2. UN proper shipping name	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.	FLAMMABLE LIQUID, N.O.S.
14.3. Transport hazard class(es)				
Class or Division	3	3	3	3
Hazard label(s)				
14.4. Packing group	III	III	III	III

14.5. Environmental hazards

Not available

14.6. Special precautions for user

Not available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

14.8. Additional information

Not available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

This SDS has been established in accordance with REACH regulation, including its amendments: REACH Regulation (EC) No 1907/2006.

This SDS has been established in accordance with CLP regulation, including its amendments: CLP Regulation EC No. 1272/2008.

EU legislation

Regulation: REACH : Annex XVII (Restrictions)

Substance	CAS	EC
dipentene	138-86-3	205-341-0

National regulations

Regulation: California proposition 65

Substance	CAS	EC
7-methyl-3-methyleneocta-1,6-diene	123-35-3	204-622-5

15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

For this substance/mixture a chemical safety assessment has been elaborated.

For this mixture, the relevant data of the Substances' Chemical safety assessment are integrated in the sections of the SDS.

15.3. Additional information

Not available

SECTION 16: Other information

Creation date: 17/08/2021
 Version date: 17/08/2021
 Printing date: 01/10/2021

16.1. Indication of changes

Not applicable (first edition of the MSDS).

16.2. Abbreviations and acronyms

CAS: Chemical Abstract Service Number.

IATA: International Air Transport Association.

IMDG: International Maritime Dangerous Goods Code.

DPD Dangerous Preparation Directive.

UN number: United Nations number.

No EC: European Commission Number.

ADN/ADNR: Regulations concerning the transport of dangerous substances in barges on the waterways.

ADR/RID: European Agreement concerning the International Carriage of Dangerous Goods by Road/Regulations concerning the international carriage of dangerous goods by rail.

CLP: Classification, labeling and packaging.

VPvB: very persistent and very bioaccumulative substances.

16.3. Key literature references and sources for data

No data available.

16.4. Classification for mixtures and used evaluation method according to regulation (EC) 1272/2008 [CLP]

Classification of the mixture is in accordance with the evaluation method described in Regulation (EC) No 1272/2008.

16.5. Relevant R-, H- and EUH-phrases (Number and full text)

H226	Flam. Liq. 3	Flammable liquid and vapour.
H302	Acute Tox. 4 ORAL	Harmful if swallowed
H304	Asp. Tox. 1	May be fatal if swallowed and enters airways.
H315	Skin Irrit. 2	Causes skin irritation.
H317	Skin Sens. 1B	May cause an allergic skin reaction.
H318	Eye Dam. 1	Causes serious eye damage.
H319	Eye Irrit. 2	Causes serious eye irritation
H400	Aquatic Acute 1	Very toxic to aquatic life.
H410	Aquatic Chronic 1	Very toxic to aquatic life with long lasting effects.
H411	Aquatic Chronic 2	Toxic to aquatic life with long lasting effects.
H413	Aquatic Chronic 4	May cause long lasting harmful effects to aquatic life.

16.6. Training advice

Refer to Sections 4, 5, 6, 7 and 8 of this safety data sheet.

16.7. Additional information

Not available

The information given in this Safety Data Sheet is based on our present knowledge and on european and national regulations. This Safety Data Sheet describes safety requirements relative to identified uses, it doesn't guarantee all the product properties particularly in the case of non identified uses. The product mustn't be used for any uses other than those identified under heading 1. Since the user's working conditions are not known by us, it is the responsibility of the user to take all necessary measures to comply with legal requirements for specific uses and avoid negative health effects.